IN THE CLAIMS

Please amend the claims as follows:

a structure corresponding to a copolymer of a monomer mixture containing a vinylic

monomer (A) having a hydroxyl group and an amido bond, and a vinylic monomer (B)

Claim 1 (currently amended): A water-soluble resin having comprising:

having a cationic group,

wherein the vinylic monomer (A) is represented by a formula, CH₂=C (R¹)-CO-NR²-(CH₂)_a-OH, where R¹ represents a hydrogen atom or a methyl group, R² represents a hydrogen atom, or an alkyl group or a hydroxyalkyl group having 1 to 4 carbon atoms, a is 2, and the vinylic monomer (B) is represented by a formula, CH₂=C(R³)-CO(O)_b-(NH)_{1-b}-(CH₂)_c-N⁺R⁴R⁵R⁶·X⁻, where R³ represents a hydrogen atom or a methyl group, R⁴ and R⁵ each independently represent an alkyl group or an aryl group or an aralkyl group having 1 to 24 carbon atoms, R⁶ represents a hydrogen atom, an alkyl group or an aryl group or an aralkyl group having 1 to 24 carbon atoms, or CH₂-CH(OH)-CH₂-N⁺R⁷R⁸R⁹·Y⁻, R⁷ to R⁹ each independently represent an alkyl group or an aryl group or an aralkyl group having 1 to 24 carbon atoms, X⁻ and Y⁻ each independently represent an anion, b represents 0 or 1, and c represents an integer from 1 to 10.

Claims 2-3 (canceled)

Claim 4 (previously presented): The water-soluble resin of claim 1, wherein the vinylic monomer (A) having a hydroxyl group and an amido bond is hydroxyethyl acrylamide, or hydroxyethyl methacrylamide.

Claim 5 (canceled)

Claim 6 (previously presented): The water-soluble resin of claim 1, wherein the vinylic monomer (B) having a cationic group is at least one selected from the group

consisting of meth acroyloxyethyl-trimethylammonium chloride, acroylaminopropyl-trimethylammonium chloride, and meth acroylaminopropyl-trimethylammonium chloride.

Claim 7 (previously presented): The water-soluble resin of claim 1, wherein the monomer mixture containing a vinylic monomer (A) having a hydroxyl group and an amido bond, and a vinylic monomer (B) having a cationic group contains 20 to 90% by weight of the vinylic monomer (A) having a hydroxyl group and an amido bond, and 10 to 80% by weight of the vinylic monomer (B) having a cationic group.

Claim 8 (previously presented): The water-soluble resin of claim 1, wherein weight average molecular weight is 5,000 to 5,000,000.

Claim 9 (previously presented): The water-soluble resin of claim 1, wherein the water soluble-resin can form an aqueous solution having a concentration of at least 5% by weight.

Claim 10 (previously presented): The water-soluble resin of claim 1, wherein the vinylic monomer (A) having a hydroxyl group and an amido bond is hydroxyethyl acrylamide, and the vinylic monomer (B) having a cationic group is at least one selected from the group consisting of (meth)acroyloxyethyltrimethylammonium chloride, acroylaminopropyltrimethylammonium chloride, and (meth)acroylaminopropyltrimethylammonium chloride.

Claim 11 (withdrawn): A hair cosmetic material containing the water-soluble resin of claim 1.

Claim 12 (withdrawn): The hair cosmetic material of claim 11, further containing an anionic surfactant.

Claim 13 (withdrawn): The hair cosmetic material of claim 12, which is an aqueous solution containing 0.05 to 5% by weight of the water-soluble resin and 5 to 40% by weight of the anionic surfactant.

Application No. 10/588,514 Reply to Office Action of October 29, 2009

Claim 14 (withdrawn): A silicone oil adsorption assistant comprising the water-soluble resin of claim 1.

Claims 15-19 (canceled)

Claim 20 (new): The water-soluble resin of claim 1, wherein the copolymer comprises from 20 to 90% by weight of the structural unit corresponding to the vinylic monomer (A) having a hydroxyl group and an amido bond.

Claim 21 (new): The water-soluble resin of claim 1, wherein \mathbb{R}^2 in the formula, $\mathbb{CH}_2=\mathbb{C}(\mathbb{R}^1)$ - $\mathbb{CO}-\mathbb{NR}^2$ - \mathbb{CH}_2 -

Claim 22 (new): The water-soluble resin of claim 1, whereinR4 and R5 in the formula, $CH_2=C(R^3)-CO(O)_b-(NH)_{1-b}-(CH_2)_c-N^+R^4R^5R^6\cdot X^-$, are each independently a methyl group or an ethyl group, and R6 in the formula, $CH_2=C(R^3)-CO(O)_b-(NH)_{1-b}-(CH_2)_c-N^+R^4R^5R^6\cdot X^-$, is a methyl group, an ethyl group or a butyl group.